


Interaction meanings and intermeaning actions
Chung-chieh Shan, 2005-12-08

Classic Montagovian semantics deals with aboutness as primary, whereas dynamic semantics deals with information update as primary. What might a semantics look like that deals with interaction -- that is, agents seeking and providing information -- as primary?


I describe a model of interaction that I am working on for simple information exchanges. The model depicts interaction by graph rewrites and denotes interaction by message relations. It promises to formalize aboutness and information update on a new foundation, while remaining compatible with existing semantic tools like the lambda-calculus.

- Interaction among
- people (information updates)
 - things (aboutness)
 - modules (interface)
 - constituents (syntax)
 - ...


(1) a.




b.




(2) a.




b.




c.




(3) Rewriting rules capture the dynamics of
 (a) computation



(b) communication




(4) Denotations = "context semantics"; "game strategies"




(Actually, easier to use a symmetric relation between message-port pairs.)

port names are arbitrary


(5) (a)



(b)




(c) Composition.







$$= \{ \langle \mu_0, \pi_0, \mu_n, \pi_n \rangle \mid \begin{array}{l} \pi_0, \pi_n \text{ are external ports,} \\ \pi_1, \dots, \pi_{n-1} \text{ are internal ports,} \\ \langle \mu_i, \pi_i, \mu_{i+1}, \pi_{i+1} \rangle \in [[A] \cup [B]] \\ \text{(or its reverse) for } i=0, \dots, n-1 \end{array} \}$$

(d) graph remotes preserve denotation






(e)



$$[[\pi' \leftarrow \pi]] = \{ \langle \mu, \pi, \mu, \pi' \rangle \mid \mu \text{ is a message} \}$$




Consider only "affine" λ -terms for now — no variable appears multiple times. ("Sharing" complicates the picture.)




(7c) is like NO
 (7d) is like YES
 (7e) is like AND.



(8) λ -conversion as a graph rewrite



(9) Example: $\text{AND}(\text{NO})(\text{YES}) \Rightarrow \text{NO}$



- (10) a. $\left[\begin{array}{c} \text{Continuation} \\ \text{argument} \\ \text{function} \end{array} \right] = \left\{ \begin{array}{l} \langle \mu, \text{continuation}, \langle 0, \mu \rangle, \text{function} \rangle, \\ \langle \mu, \text{argument}, \langle 1, \mu \rangle, \text{function} \rangle \\ \text{for } \mu \text{ a message} \end{array} \right\}$
- b. $\left[\begin{array}{c} \text{function} \\ \text{body} \quad \text{argument} \end{array} \right] = \left\{ \begin{array}{l} \langle \langle 0, \mu \rangle, \text{function}, \mu, \text{body} \rangle, \\ \langle \langle 1, \mu \rangle, \text{function}, \mu, \text{argument} \rangle \\ \text{for } \mu \text{ a message} \end{array} \right\}$